



浇冒口气冲锤
Degating Hammer



苏州微晶自动化有限公司
SUZHOU WEIJING AUTOMATION CO., LTD

公司概况 >>>

About Weijing

苏州微晶自动化有限公司，成立于2008年，是一家致力于为全球铸造企业提供专业、优质的设备、服务和解决方案中国公司。

我们的服务覆盖：方案设计、设备制造、设备销售和维护。

我们的产品有：冒口分离器、浇道勾断器、气冲锤、打磨机、浇注机、铁水搬运系统，及其他定制设备、解决方案；已有多个产品获得专利。

苏州微晶现已提供超过600套设备和系统在全球近300家铸造厂使用。

SUZHOU WEIJING AUTOMATION CO., LTD, established in 2008, is a Chinese company dedicating to provide professional equipment, services and solutions with premium quality for global foundries.

Our services cover: solution designing, equipment manufacturing, equipment selling and service.

Our products include: Wedge Breaker, Runner Breaker, Air Hammer, Grinding Machine, Pouring Machine, Molten Iron Handling System, and other customized equipment and systems. And several products have been patented in China.

There are more than 600 sets of equipment and systems supplied by Weijing at nearly 300 foundries worldwide.

公司使命 >>>

Our Mission


作为中国市场的清理解决方案的领导者，为铸造厂提供专业的清理解决方案，是我们的使命。积极行动、坦诚沟通、高效合作，是我们的使命、行为风格。

As the degating machine leader in China market, providing the most suitable machine to foundries is our mission.

Positive action, honest communicating, efficient collaboration, is our behavior style.

产品专利 >>>

Product patent



公司资质 >>>

Certificates



气冲锤，是专为快速去除铸钢件、球墨铁件、部分合金件的冒口设计的工具。对比火焰切割方式，气冲锤不伤本体，成本低；帮助铸造厂提供清理冒口的效率、提供成品率、节省切割耗材成本。


Air Hammer is a great tool specially designed to quick break risers from steel castings, ductile iron castings, some alloy steel castings. Comparing to flame cutting, Pneumatic Cannon will not damage the casting, but can reduce the cost. Help foundries to improve degating efficiency, yield, and save huge cost of flame cutting materials.

Much more safer, quicker, environment-friendly.



可倾斜遥控装置

Tilted Device & Remote Control



- 1、缸体储气量；
- 2、倾斜油缸可以更精确的对准铸件；
- 3、气动，液压装置，无线遥控控制总成；
- 4、气压高低选择开关；
- 5、冲头冲击处。


1. air container;
2. titling device for precise targeting to the risers;
3. pneumatic drive, hydraulic device, remoted-control;
4. switch for low/high pressure change;
5. Striker inside.

可倾斜遥控装置的特点和益处

- 避免人为去调节对准在高处的浇冒口，这样会更安全、方便、快捷；
 - 为铸造厂延展分离冒口作业范围，分离大冒口变得更容易；
- 作为一个可选项装置，铸造厂可以根据实际面临的清理问题选择到合适的工具。

Features & Benefits

- Avoid manual targeting to the big risers at high place, it will be much more safer, convenient, quicker;
- Broaden degating range for foundries by tiltable and remote controllable function, degating the big size risers comes easily.
- As an available option for selecting, foundries can choose the suitable machine for the degating problem you meet;



产品型号 Product Model	能量 (焦耳) Energy (Joule)	冒口截断面积 (ϕ mm) Neck Size	冒口高度 (mm) Riser Height	产品重量 (KG) product weight
QC65	500	35	90	95
QC85	900	55	140	160
QC135	1800	85	260	345
QC155	3000	110	300	600
QC195	4000	130	350	815
QC295	6000	160	450	1520
QC295P	8500	180	480	1700
QC355	9500	210	480	2250
QC431	18000	250	610	2740
QC499	28000	350	680	6300

为了更准确为您选择合适的型号，烦请您提供以下信息：

铸件材质、最大冒口断裂面直径、最大冒口的高度、铸件产品的照片。

In order to select the suitable model for you, please provide these information to us for precise choosing:


- Casting materials info (Grey Iron, SG Iron, Carbon Steel, Alloy Steel)
- Neck size of the Max riser
- The Max riser's height
- Casting pictures
- Current breaking way(manual hammering, sledge impacting, flame cutting)

Notes:

1. Grey Iron Castings and SG Iron Castings can be broken by Weijing Hammer 100% perfectly;
2. If you produce Carbon Steel Castings, please provide carbon percentage to Weijing first;
3. If you produce Alloy Steel Castings, please also send alloy percentage to Weijing first.

安装信息及注意事项

Installation Info & Notes



- 1、气冲锤本体
- 2、三联件
- 3、油水分离器
- 4、储气罐

- 1. Air hammer body
- 2. FRL
- 3. Oil water separator
- 4. Gas storage tank

备注:

为了更佳发挥您购买的气冲锤的威力，请务必确保气压在6巴。
 气冲锤在工作时，决不能有生物在前方。
 分离小的冒口时，可以切换到低压模式，可以避免飞件威力太大。

Notes:

In order to have a better performance of your hammer, please make sure compressed air pressure is at 6 bar.
 When hammer works, never allow any living creature in the front of hammer.
 If breaking small size risers, please switch to low pressure model for avoiding too strong flying parts.

客户名称	Customer Name	归属 Attribution
浙江裕融实业有限公司	Zhejiang Yurong Industry Co., Ltd	中国China
金华市星球机械铸钢有限公司	Jinhua Xingxing Machinery Cast Steel Co., Ltd	中国China
南通宏德机电有限公司	Nantong Hongde electromechanical Co., Ltd	中国China
杭州山虎机械有限公司	Hangzhou Shanhu Machinery Co., Ltd	中国China
安徽昱工耐磨材料科技有限公司	Anhui Yugong wear resistant material technology Co., Ltd	中国China
山东豪迈机械股份有限公司	Shandong Himile Machinery Co., Ltd.	中国China
金华市星球机械铸钢有限公司	Jinhua Xingxing Machinery Cast Steel Co., Ltd	中国China
广西长城机械股份有限公司	Guangxi Great Wall Machinery Co., Ltd	中国China
浙江晟达机械限公司	Zhejiang Shengda Machinery Co., Ltd	中国China
山东康迈信机械有限公司	Shandong kangmaixin Machinery Co., Ltd	中国China
重庆华德机械有限公司	Chongqing Huade Machinery Co., Ltd	中国China
韶关韶瑞铸钢有限公司	Shaoguan shaorui Steel Casting Co., Ltd	中国China
欧玛（中国）汽车部件有限公司	Omar (China) Auto Parts Co., Ltd	中意China-Italy
安徽海螺川崎装备制造有限公司	Anhui Conch Kawasaki Equipment Manufacturing Co., Ltd	中日China-Japan
美卓矿机（衢州）有限公司	Metso Mining Machinery (Quzhou) Co., Ltd	美国 USA
美卓矿机（印度）公司	Metso India Private Limited	印度India
河北北方铸业有限公司	Hebei North Casting Co., Ltd	中国China
安徽应流集团霍山铸造有限公司	Anhui Yingliu group Huoshan Foundry Co., Ltd	中国China
江苏恒立液压股份有限公司常州铸造分公司	Changzhou casting branch of Jiangsu Hengli Hydraulic Co., Ltd	中国China
湖北金阳石新型耐磨材料科技有限公司	Hubei jinyangshi new wear-resistant material technology Co., Ltd	中国China
布莱凯特设备（苏州）有限公司	Blekat equipment (Suzhou) Co., Ltd	加拿大Canada
山西华翔集团有限公司	Shanxi Huaxiang Group Co., Ltd	中国China
印度Ammarun 铸造厂	Ammarun Foundry	印度India
星普工业（山东）有限公司	Sungbo Industry (Shandong) Co.,Ltd	韩国 South Korea
星普工业（韩国）有限公司	SUNGBO INDUSTRIAL CO.,LTD	韩国 South Korea
	KNL Foundry.sdn.Bhd.Malaysia	马来西亚Malaysia

为您提供最合适的浇冒口分离设备!

Providing the most suitable degating machine to you!



苏州微晶自动化有限公司

地址：苏州市常熟创晋(辛庄)智能产业园新阳大道156号

手机：139 1350 6723 138 6257 6593

电话：0512-6610 2545

传真：0512-6571 4245

邮箱：szweijing@126.com

网址：



微信公众号
WechatOfficial Account

Suzhou Weijing Automation Co., Ltd

Address: No. 156,Xinyang Ave,Chuangjin

Industrial Park,Changshu,Suzhou

Mobile: +86 153 0612 4775

Tel: +86 0512 6610 2545

Fax: +86 0512 6571 4245

E-mail: roc.hang@weijingsz.com

Website: www.weijingsz.com



Roc Hang
Whatsapp QR Code